

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	L18 and l3 and l4 and l5 and l6 and l7 and (l8	<input type="button" value="↑"/> <input type="button" value="↓"/> <input type="button" value="✓"/>
	with l9) and l11 and l12	

Display:	<input type="text" value="50"/> Documents in Display Format: <input type="text" value="-"/>	Starting with Number <input type="text" value="1"/>
-----------------	--	--

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, February 19, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L19</u>	L18 and l3 and l4 and l5 and l6 and l7 and (l8 with l9) and l11 and l12	18	<u>L19</u>
<u>L18</u>	l1 near3 l13	5320	<u>L18</u>
<u>L17</u>	l14 and l2 and l3 and l4 and l5 and l6 and l7 and l8 and l9 and l10 and l11 and l12	11	<u>L17</u>
<u>L16</u>	l14 and l2 and l3 and l4 and l5 and l6 and l7 and l8 and l9 and l10 and l11 and l12	11	<u>L16</u>
<u>L15</u>	L14 same l3 same l4 same l5 same l7	0	<u>L15</u>
<u>L14</u>	l1 adj5 L13	4083	<u>L14</u>
<u>L13</u>	adc\$1 or (analog adj3 digital)	228128	<u>L13</u>
<u>L12</u>	bias\$3	954337	<u>L12</u>
<u>L11</u>	gain\$1	471099	<u>L11</u>
<u>L10</u>	current	2558731	<u>L10</u>
<u>L9</u>	shift\$3	1338869	<u>L9</u>
<u>L8</u>	level\$	2936820	<u>L8</u>
<u>L7</u>	transistor\$1	683931	<u>L7</u>

L6 amplification or amplif\$
L5 latch\$3
L4 bipolar
L3 reset\$
L2 cmos
L1 compar\$

959901 L6
513606 L5
118193 L4
459181 L3
100977 L2
2799355 L1

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L11 and l10 <div style="float: right; text-align: right;"> <input type="text" value=""/> <input type="button" value="↑"/> <input type="button" value="✓"/> </div>
Display:	<input type="text" value="50"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Thursday, February 19, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L13</u>	L11 and l10	6	<u>L13</u>
<u>L12</u>	L11 and l10	6	<u>L12</u>
<u>L11</u>	341/\$.ccls.	35522	<u>L11</u>
<u>L10</u>	L9 and cmos	33	<u>L10</u>
<u>L9</u>	L8 and current	114	<u>L9</u>
<u>L8</u>	L7 and (adc\$1 or (analog adj3 digital))	116	<u>L8</u>
<u>L7</u>	compar\$ and (level with shift\$3 with transistor\$1) and latch\$3 and (amplification or amplif\$) and reset\$ and (switch\$3 or select\$3) and bias\$3	371	<u>L7</u>
<u>L6</u>	L2 and (adc\$1 or (analog adj3 digital))	9	<u>L6</u>
<u>L5</u>	L2 and (adc\$1 or (analog adj3 digital))	9	<u>L5</u>
<u>L4</u>	L2 and (adc\$1 or (analog adj3 digital))	9	<u>L4</u>
<u>L3</u>	L2 and (adc\$1 or (digital adj3 analog))	17	<u>L3</u>
<u>L2</u>	L1 and compar\$	123	<u>L2</u>
<u>L1</u>	(level adj shift) adj transistor\$1	243	<u>L1</u>